



Work Order (Bid Form)

Knoxville/Knox County Community Action Committee



WORK ORDER INFORMATION

Work Order Name: WO/80008KN0736/1

Work Order Type: Weatherization

Audit Name: 80008KN0736-Audit

CLIENT INFORMATION

Client Name:

Address:

Client ID: 80008KN0736

Alt. Client ID: KNOX

AGENCY INFORMATION

Agency: Knoxville/Knox County CAC

Agency Phone: (865) 244-3080

Address: P.O.Box 51650

Fax: (865) 544-1647

Knoxville, TN 37950-1650

Email Address: jason.estes@cachousing.org

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

•Single Family Dwelling

Contractor to follow 2006 International Residential Code as adopted by the City of Knoxville or Knox County as applicable.

City

Home built in 1981

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 11

Measures

Measure 1 Mastic the Return Box

Components

Inspected

Comment Liquid white Mastic to be applied to entire inside of return to seal all seams. Use foam board around edges to fill in any voids and mastic. Seal front of return box where it meets return register with appropriate caulk. No changes allowed. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Construction Mate	Mastic the Return Box Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 2 of 11

Measure 2 Mastic/Insulate Supply Boot(QTY 9)**Components****Inspected****Comment**☐

Liquid white Mastic to be applied to entire inside of boot to seal all seams. Top of boot where it meets subfloor to be caulked with appropriate caulk. Boots to be insulated on outside of boot to R-6. This is best performed with 2-part close cell foam. Location+Register Type^Initial (Pa)

Living RoomSupply5.9

Living RoomSupply5

Dining RoomSupply16.6

KitchenSupply10.5

Bath1Supply7.1

Bdrm1Supply5

Bdrm2Supply30.5

Bdrm1Supply10.8

Bdrm3Supply4.9

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Construction Mate	Mastic/Insulate Supply Boot	Each	9	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	9	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 11

Measure 3 Rod and Repair Floor Insulation(QTY150)**Components****Inspected****Comment** Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Rod and Repair Floor Insulation	SqFt	150	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	SqFt	150	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		

Field Notes:**Measure 4 Seal & Repair Duct 10 linear ft****Components****Inspected****Comment** Liquid Mastic to be applied to seal all seams. Repair insulation and strap to prevent sagging.. No changes allowed. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.
Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Unspecified	Seal & Repair Duct (+)	Linear Foot	10	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	labor	Linear Foot	10	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		

Field Notes:

Client Name:

Client ID: 80008KN0736
Alt. Client ID: KNOX

Work Order (Bld Form)

Work Order Name: WO/80008KN0736/1
Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 11

Measure 5 Window Screen(QTY 3)E3,E4,W2**Components****Inspected**

Comment Refer to house diagram with window sizes. Responsibility of contractor to verify measurements in the field before ordering window screen(s). Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Windows	Window Screen	Each	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 6 DWH Pipe Insulation****Components****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation Includes labor cost. All corners must be cut properly. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Client Name:**

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 11

Measure 7 DWH Tank Insulation				Components			Inspected		
Comment									
				Estimated			Actual		
#	Material / Labor	Description / Comment	Units	Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equipm	DHW Tank Insulation Includes labor cost. R-10 minimum. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1					
2	Labor	DHW Tank Insulation extend pressure relief pipe as needed	Each	1					
Other Detail									
Measure Sub Total:							Sub Total:		
Field Notes:									

Measure 8 Attic Ins. R-19**Components A1****Inspected**

Comment •Includes labor cost. Contractor to install 1 ruler for every 300 square foot of attic space showing depth of insulation. Build insulation dam around attic access. Install baffles as needed to prevent loose fill insulation from entering soffit and covering vent. Seal all holes, gaps, and penetrations in attic before insulating. Seal around chimney with sheet metal and high temperature silicone or fire resistant foam. Install R-30 fiberglass batt secured to attic access and weather strip with foam tape. Contractor to install using Resnet Grade 1 Standards. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Blown Fiberglass - R-19	SqFt	1056	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Attic Insulation - Blown Fiberglass - R-19	SqFt	1056	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 11

Measure 9 Fix Improper Venting Kitchen Exhaust Fan**Components****Inspected**

Comment Range Vents (not to exceed 15') installed to outside of home. No changes allowed. Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Construction Mate	Range Vent w/ Metal Piping Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 8 of 11

Measure 10 Fix Improper Venting of Bathroom Exhaust Fan

Components

Inspected

Comment Bath Vents installed to outside of home. No changes allowed. Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Bath Vent w/ Piping to Outside Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 9 of 11

Measure 11 Install Kitchen Exhaust Fan**Components****Inspected**

Comment Kitchen exhaust fan equal to Nutone Model # NS130WW. (Blower 350 CFM, 0.9 sones)

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Kitchen Exhaust Fan Kitchen exhaust fan equal to Nutone Model # NS130WW. (Blower 350 CFM, 0.9 sones)	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 12 Vapor Barrier Needed****Components****Inspected****(Basement/Crawlspace)(QTY1056)**

Comment Must be 6 mil poly. Must be installed 100% of crawlspace with 6" turned up all walls and support piers. Must be securely fastened. Must be cleated down to earth. Must be secured at all seams. Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Basement /Crawlspace Vapor Barrier	SqFt	1056	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	SqFt	1056	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bid Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 10 of 11

Work Order Grand Total:

Grand Total:

Client Name:

Client ID: 80008KN0736

Alt. Client ID: KNOX

Work Order (Bld Form)

Work Order Name: WO/80008KN0736/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 11 of 11